

**Overview: Julabo Presto Series**  
July 2020

Model	PRESTO A30	PRESTO A40	PRESTO W40	PRESTO A45t	PRESTO A45	PRESTO W50	PRESTO W50t
Working temperature range (°C)	-30.0 ... +250.0	-40.0 ... +250.0	-40.0 ... +250.0	-45.0 ... +250.0	-45.0 ... +250.0	-50.0 ... +250.0	-50.0 ... +250.0
Temperature stability (°C)	±0.01 ... ±0.05	±0.01 ... ±0.05	±0.01 ... ±0.05	+/-0.05 ... +/-0.1	+/-0.05 ... +/-0.1	+/-0.05 ... +/-0.1	+/-0.05 ... +/-0.1
Cooling capacity (kW)	0.5	1.2	1.2	3.5	3.5	7.5	7.5
Heating capacity (kW)	2.7	2.7	2.7	12	6	6	12
Pump capacity flow rate (l/min)	25	16 ... 40	16 ... 40	35 ... 76	35 ... 76	35 ... 76	35 ... 76
Pump capacity flow pressure (bar)	0.5	0.3 ... 1.7	0.3 ... 1.7	0.48 ... 3.2	0.48 ... 3.2	0.48 ... 3.2	0.48 ... 3.2

Model	PRESTO W55	PRESTO W56	PRESTO A80	PRESTO A80t	PRESTO W80	PRESTO W80t	PRESTO A85t
Working temperature range (°C)	-55.0 ... +250.0	-56.0 ... 250.0	-80.0 ... +250.0	-80.0 ... +250.0	-80.0 ... +250.0	-80.0 ... +250.0	-85.0 ... +250.0
Temperature stability (°C)	+/-0.05 ... +/-0.1	0.05 ... 0.1	±0.01 ... ±0.05	+/-0.01 ... +/-0.05	+/-0.01 ... +/-0.05	+/-0.01 ... +/-0.05	+/-0.05 ... +/-0.1
Cooling capacity (kW)	15	25.8	1.2	1.2	1.2	1.2	2.5
Heating capacity (kW)	15	27	1.8	3.4	1.8	3.4	15
Pump capacity flow rate (l/min)	35 ... 80	35 ... 80	16 ... 40	16 ... 40	16 ... 40	16 ... 40	35 ... 80
Pump capacity flow pressure (bar)	0.48 ... 3.2	0.48 ... 3.2	0.3 ... 1.7	0.3 ... 1.7	0.3 ... 1.7	0.3 ... 1.7	0.48 ... 3.2

Model	PRESTO A85	PRESTO W85	PRESTO W85t	PRESTO W92	PRESTO W92tt	PRESTO W92x	PRESTO W92ttx
Working temperature range (°C)	-85.0 ... +250.0	-85.0 ... +250.0	-85.0 ... +250.0	-92.0 ... +250.0	-92.0 ... +250.0	-92.0 ... +250.0	-92.0 ... +250.0
Temperature stability (°C)	+/-0.05 ... +/-0.1	+/-0.05 ... +/-0.1	+/-0.05 ... +/-0.1	±0.05 ... ±0.2	±0.05 ... ±0.2	±0.05 ... ±0.2	±0.05 ... ±0.2
Cooling capacity (kW)	2.5	2.5	2.5	27	27	27	27
Heating capacity (kW)	6	6	15	18	36	18	36
Pump capacity flow rate (l/min)	35 ... 80	35 ... 80	35 ... 80	26 ... 80	26 ... 80	18 ... 70	18 ... 70
Pump capacity flow pressure (bar)	0.48 ... 3.2	0.48 ... 3.2	0.48 ... 3.2	0.5 ... 3	0.5 ... 3	0.8 ... 5.5	0.8 ... 5.5

Please contact us for further information.

**Asynt Ltd**  
 Tel: +44 (0)1638 781709  
 Email: [enquiries@asynt.com](mailto:enquiries@asynt.com)  
 Web: [www.asynt.com](http://www.asynt.com)